

SIGNS & SYMPTOMS OF EXPOSURE:
EXISTING CONDITIONS AGGRAVATED BY EXPOSURE:

Dizziness, anesthesia, unconsciousness.
None known

6. SPILL OR LEAK & DISPOSAL PROCEDURES:

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK:

Maintain good ventilation. Avoid ignition sources. Soak up remainder in an inert absorbent and store in a closed container until disposal.

Incinerate following EPA Federal, State and local regulations.

7. STORAGE & HANDLING PROCEDURES STORAGE:

Store below 120 °F in a tightly closed container away from oxidizing materials and sources of ignition.

HANDLING: Keep away from open flame. Avoid prolonged breathing of vapors. Avoid skin or eye contact.

8. SHIPPING & HANDLING PROCEDURES

DOT (49 CFR 172)

DOMESTIC GROUND TRANSPORT

PROPER SHIPPING NAME: Petroleum Distillates

HAZARD CLASS OR DIVISION: Flammable (3)

IDENTIFICATION NO: UN 1268

PG III

MARINE POLLUTANTS: None

9. REACTIVITY DATA

STABILITY:

Stable

HAZARDOUS POLYMERIZATION:

Will not occur

HAZARDOUS DECOMPOSITION

PRODUCTS (NON-THERMAL):

None

INCOMPATIBILITY:

Strong Oxidizers

10. EMERGENCY TREATMENT PROCEDURES

INGESTION:

Induce vomiting. Obtain medical attention

INHALATION:

Remove to fresh air. If Symptoms persist, obtain medical attention.

SKIN CONTACT:

Wash with soap and water.

EYE CONTACT:

Flush at least 15 minutes with water. Obtain medical attention.

11. PERSONAL PROTECTION:

EYES:

Safety Glasses or Goggles.

SKIN:

Rubber or Plastic Gloves

VENTILATION:

Adequate to avoid exceeding TLV

The information contained herein is based upon data taken in good faith and considered accurate. However, no warrant is implied or expressed regarding the accuracy of this data or the results obtained from the use thereof.

NA= Not Available na= not applicable NE=Not Established ND=Not Determined mppcf=million parts/ft3
mg/M3= milligrams per cubic meter